Minutes for the regular scheduled meeting held on July 11, 2022

Adam Ney
Anita Shelton
Merrill (Archie) Archambault
Meeting was called to order at 7:03 pm

Adam made the motion to approve the minutes for June 13, 2022, meeting, Adam 2nd (all) Anita made the motion to approve the minutes for June 27, 2022 meeting, Adam 2nd (all) Adam made the motion to approve the June/July encumbrances, Archie 2nd (all) Adam made the motion to approve the June treasurer report, Archie 2nd (all)

CDBG 17501-17502 was discussed. Ryburn Construction has completed the installation of the new pipes in the building located in Snyder. Ryburn also completed the cement pad that will be able to be used for generator. Chloramine Station: Worth HydroChem has been working at the building in Mountain Park. The internet has also been completed so that the system will be able to be monitored at City Hall.

Reports from Officers/Boards

Fire Chief: One fire due to fireworks, Received a \$200.00 donation.

Police: 83 Citations

Ordinance 2022-3 Municipal Court was discussed.

Adam made the motion to approve the Court Fees being raised to \$30.00, Archie 2nd (all)

Adam made the motion to approve the emergency clause, Anita 2nd (all)

James Finley asked what the emergency was? He excused himself after he said a few words to Adam.

Discussed possible amendment to the Ordinance Chapter 3, Article 2, § 3-20 Licenses and tags for dogs. Mike Kimbrough asked for the Ordinance to read out loud.

Wendy Finley asked if the dog tags have been bought yet.

Angela Shelton mentioned that for the last three months she has been getting food for the community. She has assisted with animals being spayed or neutered.

Wendy and Angela both help correct a problem within the town limits when there was a problem within the Town. They both worked to correct the problem and get the dogs adopted.

Concerns of Citizen's: Responsible people are the only ones that will comply, and others will ignore. Tags are just a way to make sure that animals have their rabies shot. People were stating that many buy their vaccines at Atwood's, and they tend to their own animal needs. Oklahoma requires that rabies be administered by licensed veterinarian. Adam made the motion to table until July regular scheduled meeting, Anita 2nd (all) Citizens did talk about their dogs getting loose, but they work verry hard and try to keep animals in fences.

Concerns about animals getting on the school grounds was talked about. If the animal had a tag, then they were able to get with the owner. Thomas Hayslip talked about using a gun with hollow point to correct the issue.

Adam made the motion to table an agreement with an Animal shelter until he can find out more information. Though He has reached out to Snyder previously. Anita 2nd (all)

There were concerns about the water rates going up. Kaethe Hayslip kept telling individuals to get their own well. Chrystal stated that it would be ridiculous for water bill to be more then a car payment. Tammy Phares mentioned what would the Town do whenever people leave because they can't afford the water bill.

Adjourned @ 7:33		
Approve	adam ky	Date 8/8/2022
	Mayor J	

Minutes for the regular scheduled PWA meeting held on July 11, 2022

Adam Ney Anita Shelton Merrill (Archie) Archambault

Meeting was called to order at 7:34 pm

Adam made the motion to approve the minutes for June 13, 2022, meeting, Archie 2nd (all) Archie made the motion to approve the minutes for June 27, 2022, meeting, Anita 2nd (all) Adam made the motion to approve the June/July encumbrances, Archie 2nd (all) Anita made the motion to approve the June treasurer report, Archie 2nd (all)

Adam made the motion to approve the Purchase Orders, Anita 2nd (all)

CDBG reported in the regular meeting

Kelly spoke of 68 hours of vacation that will be lost if I was not able to take them by 8/1/22. Adam made the motion to allow what I had that was unused to rollover to the next year. Anita 2^{nd} (all) I will try to use as many as possible so that there isn't much carrying over.

Water Superintendent Report: I reported that there have been many problems with all the lift stations. I spoke about the chemical that seems to end up in the North lift station. I reported that the budget has been modified to use some of the ARPA money to pay for the repairs. The samples that are required to be submitted to DEQ for the switch to chloramines is almost complete.

The Grant for aeration of the water tower is started. They are waiting for engineering reports, that will be paid for out of the Grants funds.